



K2

Date : 05/2024




LONG THROW K SERIES CONFIGURATION AND KIT LIST


K2 KIT LIST

		H STANDARD			KX STANDARD	
		12 K2 8 KS28	24 K2 16 KS28	24 K2 16 K1-SB	24 K2 8 K1-SB	36 K2 12 K1-SB 24 KS28
K2 SYSTEM	DESCRIPTION					
K2	3-way full-range active WST® enclosure	12	24	24	24	36
K2-CHARIOT	Chariot for 4 K2	3	6	6	6	9
K2-CHARIOTCOV	Protective cover for 4 K2 on CHARIOT	3	6	6	6	9
K2-JACK	4 tilt adjustment screw jacks + bar for K2-CHARIOT	3	6	6	6	9
K2-BUMP	Structure for flying K2 arrays (incl. 1 extension sling + 1 laser adapter)	2	4	4	4	4
K2-BAR	Extension bar for K2-BUMP	2	4	4	4	4
K1-DELTA	Rigging accessory for rear attachment of 2 motors to K1-BUMP	2	4	4	4	4
K2-LINK	Rigging accessory for rear attachment of K2 below K1	0	0	0	4	4
K2-RAKMOUNT	4 mounting cradle for LA-RAK (incl. rack stabilizer)	2	4	4	4	4
K2-LASERMOUNT	K2 Lasermount (compatible TEQSAS / SSE Prosight / Align Array / KSG)	2	4	4	4	4
K-BUMPFLIGHT	Modular flight case for 2 K1-BUMP or 2 K2-BUMP	1	2	2	2	2
K2-RIGBAR	K2 rigging bar and pullback (inc. LA-SLING2T)	2	4	4	4	4
K1-SB	DESCRIPTION					
K1-SB	K1 System subwoofer 2 x 15"	0	0	16	8	12
K1-CHARIOT2	Chariot for 4 K1 or 4 K1-SB	0	0	4	2	3
K1-CHARIOTCOV	Protective cover for 4 K1/K1-SB on CHARIOT	0	0	4	2	3
K1-BUMP	Structure for flying & stacking K1 and K1-SB arrays	0	0	0	0	2
K1-DELTA	Rigging accessory for rear attachment of 2 motors to K1-BUMP	0	0	0	0	2
K-BUMPFLIGHT	Modular flight case for 2 K1-BUMP or 2 K2-BUMP	0	0	0	0	1
KS28	DESCRIPTION					
KS28	Flyable subwoofer 2 x 18"	8	16	0	8	24
KS28-PLA	Removable front dolly on wheels for 1 x KS28	8	16	0	8	24
KS28-COV	Protective cover for 1 x KS28	8	16	0	8	24
KS28-CHARIOT	Chariot for up to 4 x KS28	0	0	0	0	0
KS28-CHARIOTCOV	Protective cover for 3 or 4 x KS28 on KS28-CHARIOT	0	0	0	0	0
AMPLIFIED CONTROLLERS	DESCRIPTION					
LA-RAK II AVB	Touring rack AVB (9U with 3 LA12X/2 LS10 and signal and power distribution panels)	2	4	4	4	8
POW2	32A Power Link 2m	2	4	4	4	8
P1	Digital audio processor and measurement platform: 20 x 18 mic/line AES/EBU and AVB	1	2	2	2	2
LS10	10-port AVB Switch	2	4	4	4	4
LS10 RAKSHELF	1U Rack Shelf for two LS10	1	2	2	2	2
CABLES	DESCRIPTION					
DOE2	Dual AVB network cable CAT6A: etherCON 2m length	2	4	4	4	8
DOE45	Dual AVB network cable CAT6A: etherCON 45m length	1	2	2	1	4
DOE100	Dual AVB network cable CAT6A: etherCON 100m length	1	2	2	1	2
DO.7	Speaker cable: 8 x 4mm² CA-COM 0.7m length	8	16	16	16	24
DO25	Speaker cable: 8 x 4mm² CA-COM 25m length	6	12	12	12	22
DOSUB-LA8	Speaker cable breakout for passive enclosures CA-COM > 4 NL-2 length 5m	2	4	4	4	10
TRAINING	DESCRIPTION					
SEMINAR1Seat - System Engineer	Includes Soundvision, Drive System and M1-P1 Measurement & Tuning courses. Manage a project from design through calibration to operation within the L-Acoustics ecosystem, 1 seat	0	0	0	2	2
TRAININGSession - System & Workflow	Establish your role in the L-Acoustics ecosystem and align your practice with the latest tools and state-of-the-art workflow, up to 12 seats	1	1	1	1	1
TRAININGSession - L-Acoustics System Implementation	Advance your skills implementing a safe and functional L-Acoustics system and prepare it for calibration, up to 12 seats	1	1	1	1	1
TRAININGSession - K2 System	Recognize the standard configurations of the benchmark K2 system and gain hands-on experience rigging and listening to them, up to 12 seats	1	1	1	1	1
TRAVEL-MEDIUM	Medium haul travel meals and lodging	1	1	1	1	1
TOOLKIT	DESCRIPTION					
TECH TOOLCASE II	System technician tool case fully loaded	1	1	1	1	1
MAINTENANCE TOOLCASE	Maintenance tool case fully loaded	0	0	0	1	1
SERVICE STARTER KIT K2	DESCRIPTION					
KR H5BC34	KR Diaphragm for HP BC34II (3" driver - 8 ohms)	2	1	2	2	2
KR HPBC34	KR HP BC34 Driver 3 - 8 ohms	2	2	2	2	2
KR HPFA61	Kit HP FA61 Driver 6.5" - 8 ohms	4	4	4	4	4
KR HPBC125	Kit 12" speaker - 8 ohms	2	2	2	2	2
KR PIN163	Kit K1 6 ball head pins	1	1	1	1	1
KR PIN1394	Kit 2 x pin 1394					
KR PIN1542	KR ball-locking pin L2[D]-BAR	1	1	1	1	1
KR SECUGRL	Kit 100 safety O-rings for front grill	1	1	1	1	1
SERVICE STARTER KIT K1-SB	DESCRIPTION					
KR HPPH154	Kit HP PH154 Speaker 15" - 8 ohms	0	0	2	2	2
KR PIN163	Kit K1 6 ball head pins	0	0	1	1	1
SERVICE STARTER KIT KS28	DESCRIPTION					
G03229	KR speaker KS28	2	2	0	2	2
KR SECUGRL	Kit 100 safety O-rings for front grill	1	1	0	1	1


12 K2 & KS28 (H Standard)




24 K2 & KS28 (H Standard)




24 K2 & K1-SB (H Standard)



24 K2 & HYBRID K1-SB/KS28 (KX Standard)




36 K2 & HYBRID K1-SB/KS28 THROW (KX Standard)



AVB CONNECTIONS FOR AUDIO AND CONTROL

KIT 24 K2 + 16 KS28



KIT 36 K2 + 12 K1-SB + 24 KS28

